

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	83	incoming with connection same outgoing with connection same IDS and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 16:20
L2	5	incoming with connection same outgoing with connection same Intrusion and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 16:21
L3	97	number with connection same Intrusion and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 16:25
L4	912	traffic same Intrusion and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 16:25
L5	5299509	high traffic same Intrusion and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 16:26
L6	142	high same traffic same Intrusion and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 16:29
L7	9	connection same high same traffic same Intrusion and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 16:26
L8	2616112	connection DDOS and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 16:29
L9	59	connection same DDOS and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 16:43
L10	0	honeypot same DDOS and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 16:43
L11	1	honey adj pot same DDOS and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 16:46

EAST Search History

L12	0	honey adj pot same "virtual PC" and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 18:13
L13	0	honeypot same "virtual PC" and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 16:46
L14	110	"virtual PC" and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 16:48
L15	0	"virtual PC" same decoy and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 16:46
L16	4	"virtual PC" same ids and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 16:47
L17	2	"virtual PC" same security and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 16:47
L18	11	"virtual PC" same VMware and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 17:05
L19	6	honeypot same IP and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 17:05
L20	5	honey adj pot same IP and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 17:10
L21	0	(decoy or honeypot or honey adj pot) same IP with map\$7 and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 17:35
L22	7	(decoy or honeypot or honey adj pot) same turn adj2 off and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 17:35
L23	1	(decoy or honeypot or honey adj pot) with shutdown and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 17:36

EAST Search History

L24	0	(honeypot or honey adj pot) with shutdown and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 17:36
L25	3	(honeypot or honey adj pot) with off and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 17:38
L26	0	(honeypot or honey adj pot) with shutdown and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 17:38
L27	0	(honeypot or honey adj pot) with remove and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 17:38
L28	17790	(honeypot or honey adj pot) shutting adj2 down and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 17:39
L29	1	(honeypot or honey adj pot) with shutting adj2 down and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 17:47
L30	1	("20030010396").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/27 17:47
L31	1	("20030110396").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/27 17:47
L32	551	726/22.ccls. and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 18:13
L33	15	726/22.ccls. and (honeypot or honey adj pot or decoy) and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 18:14
L34	22	726/23.ccls. and (honeypot or honey adj pot or decoy) and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 18:14
L35	428	726/23.ccls. and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 18:14

EAST Search History

L36	639	726/23.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 18:14
L37	952	726/22.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 18:14
S1	55	honey adj pot and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 15:32
S2	0	redeploy\$ same honey adj pot and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 15:32
S3	3	breach same honey adj pot and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 19:07
S4	6	virtual same honey adj pot and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 15:41
S5	4	virtual same honeypot and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/27 16:19
S6	10	compromis\$4 same honeypot and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 15:52
S7	3	compromis\$4 same honey adj pot and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 16:13
S8	1	deploy\$ same compromis\$4 same honeypot and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 15:53
S9	2	compromis\$4 same decoy adj server and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 15:56
S10	0	redeploy same decoy adj server and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 15:56

EAST Search History

S11	0	automatic\$ same decoy adj server and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 15:58
S12	4	automatic\$ same honeypot and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 15:57
S13	5	automatic\$ same honey adj pot and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 15:57
S14	0	netowork same decoy and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 15:58
S15	119	network same decoy and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 15:58
S16	6	network same decoy same compromis\$ and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 15:59
S17	0	compromis\$4 same honey adj pot same reset and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 16:13
S18	1	honey adj pot same reset and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 16:14
S19	2	honeypot same reset and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 16:13
S20	33	decoy same reset and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 16:14
S21	0	restart with honey adj pot and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 19:33
S22	0	restart same honey adj pot and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 19:10

EAST Search History

S23	0	restart same honeypot and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 19:10
S24	0	restart same decoy and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 19:13
S25	117	deploy same decoy and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 19:13
S26	1	deploy same honeypot and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 19:16
S27	0	deploy same honey with pot and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 19:13
S28	2	deploy same decoy with (host or server) and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 19:16
S29	2	deploy same decoy with (client or host or server) and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 19:19
S30	1	deploy same decoy same network and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 19:20
S31	79	(restart or reset or redeploy) same server same (breach or compromis\$4) and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 19:20
S32	88	(restart or reset or redeploy) same server same (breach\$4 or compromis\$4) and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 19:22
S33	0	"713".ccls. and (restart or reset or redeploy) same server same (breach\$4 or compromis\$4) and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 19:22
S34	23	"713"/\$.ccls. and (restart or reset or redeploy) same server same (breach\$4 or compromis\$4) and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 19:25

EAST Search History

S35	9	"726"/\$.ccls. and (restart or reset or redeploy) same server same (breach\$4 or compromis\$4) and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 19:22
S36	113	"713"/\$.ccls. and (restart or reset or redeploy) same (breach\$4 or compromis\$4) and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 19:30
S37	43	cybercop and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 19:30
S38	35	cybercop and automatic\$8 and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 19:31
S39	1	start with honey adj pot and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 19:33
S40	0	start with honeypot and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 19:33
S41	0	setup with honey adj pot and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 19:33
S42	1	configure with honey adj pot and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 19:34
S43	3	configure with honeypot and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 19:37
S44	0	setup with honeypot and @ad<"20040209"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/26 19:34